



New generation of marking solution





www. pro-pen.com

The new

marking solution



The P5000 is really easy to use and to install; it does not require any external training. This machine is robust and easy to maintain.

The P5000 is **flexible** to the size of the part to mark (height up to 300mm) and it can mark all types of materials up to a hardness of 62 HRC. The P5000 is suitable to every country thanks to a **single electrical supply**

from 100V to 230V



The P5000 uses the **micro-percussion** technology which, contrary to traditional technology, does not require additional consumables.

The P5000 optimises the "cost/productivity/marking quality" ratio.

This machine allows a rapid marking 5 characters per second, with a high quality.



SELF-CONTAINED & AUTONOMOUS

PROPEN

The P5000 is self-contained with an integrated control unit, and works without computer.

Thanks to its USB plugs, the P5000 proposes an **extended memory** and a **link with peripheral.**







Main characteristics

Energy: pneumatic or electromagnetic Marking zone: 100x120mm

Characters size: from 0.5 to 80mm in step of 0.1mm Height of the part to be marked: up to 300mm Dimensions: L= 580mm, W= 280mm, H= 734mm

Weight: 34kg


Standard marking tool: PN12 or EM11/c

Environment

Electrical supply: 100 to 230V
Power: 300W, Frequency: 50 to 60Hz
Operating temperature: 5 to 45°C
Compressed air supply (pneumatic version):
Air pressure 5.5 bar nominal/81 PSI
Ø 1/4" pneumatic female gas connector
Equiped with air treatment

Solutions







No PC required

Multi-languages

User-friendly

INTERNAL SOFTWARE




- Create file and save it
- User-friendly: available in many languages
- Graphic preview

LINK WITH EXTERNAL FILES




- USB key (to save and transfer files and to update the internal software)
- RS232 and Ethernet

DATA MATRIX



- Collect your data
- Mark
- Read

EXTERNAL SOFTWARE



- Enhanced preview
- Connection to a large database
- Wizard to create special text



Options

and accessories



Adaptable

Expandable

Flexible

SAFETY & **PROTECTION**

Standards footswitch 25053



Industrial footswitch 25054



Control panel 25055



De-oiler air filter 2540



Protective cover 2743



EXPANDABLE & MODULAR

Plate holder 2509



Magnetic clamping 2508



DP3500



DP4500



TAG3500



INNOVATION & **TECHNOLOGY**

Light for marking area 25154




External software PW05



Data Matrix reader



Applications













Main applications

- General mechanics
- Precision mechanics
- Automotive
- Metal Work

- Aeronautics
- Cycles
- Keys and locks
- Identification plate



Design of logos PRO-PEN offers to create and download into your machine, P5000,

a customised logo. This will allow you to mark the parts you manufacture with your company logo, therefore improving the quality of your product identification and to facilitate customers logos.

Customised logo PN	
Customised logo EM	Ref 25141

To respond quickly to your needs, PRO-PEN keeps in stock all the necessary spare parts that are available for immediate despatch.











Routine servicing of your equipment will increase its life span and ensure greater reliability.PRO-PEN offers various servicing kits depending on your requirements and the way you use it.

Our repairs and revision kits are all done by our inside skilled technicians, which guarantees a high level of quality.

A complete diagnostic report is sent with each machine that is repaired.

Servicing kits	Platinum	Gold	Silver
Reference	2762	2761	2760

Worldwide sales network

PRO-PEN guarantees a worldwide technical support close to your application, with the assistance of 14 subsidiaries and more than 120 qualified distributors ready to offer you a quick response to your request.



Directive «Machine» 98/37/CE

Directive

«Electromagnetic compatibility» 89/336 EEC

Directive «Low Voltage» 73/23 EEC

Manufactured ISO 9001 compliant



For more information contact us



www.pro-pen.com

114, quai du Rhône - F - 01708 Miribel Cedex

Tel.: +33 (0)4 78 55 85 63 Fax: +33 (0)4 78 55 85 66 e-mail: dvfr@pro-pen.com

_				
וכו	ıst	rı	hı	uto